



FICHE TECHNIQUE / TECHNICAL RIDER BACKSTAGE BY THE MILL

92 boulevard de Clichy
75018 PARIS

Contact location & programmation :

contact@opuslive.fr

Contact production, prépa, régie :

marine@opuslive.fr

Contact technique :

backstagebythemill@gmail.com & sam.mvp@hotmail.fr

Contact communication :

gwladys@osullivans-pubs.com

Plus d'infos sur :

<http://backstage.osullivans-pubs.com>

GENERAL

- Jauge : 400 places debout
- Surface : 226m²
- Hauteur sous structures : 3,15m
- Hauteur sous plafond : 3,25m



Le Backstage est la salle de spectacle qui se situe derrière le pub/restaurant O'Sullivans de Blanche, voisin du célèbre cabaret Le Moulin Rouge.

La salle se compose d'une scène, d'un dancefloor mais également de plusieurs autres espaces tels qu'un vestiaire, un fumoir, un local technique, un espace billetterie, plusieurs espaces VIP, un grand bar et un petit bar.

La salle est équipée d'une loge de 13m² comprenant : une douche, un lavabo, un urinoir, un canapé, des tabourets, une table, un miroir et un réfrigérateur. La loge peut se fermer à clef et a un accès direct à la scène par Jardin.

L'accueil du public concert/club peut se faire par le pub/restaurant O'Sullivans au 92 bd de Clichy 75018 Paris.

L'accueil du public concert peut également se faire face au 7 cité Véron 75018 Paris (le public accède ainsi directement à la salle sans transiter par le pub/restaurant) – Option en supplément



SCENE

- Surface de la scène : 33m²
- Profondeur de la scène : 4,80m
- Ouverture de la scène (entre les poteaux) : 5,80m
- Ouverture de la scène (devant les poteaux) : 6,30m
- Hauteur de la scène : 0,64m
- Hauteur sous structures : 2,50m
- Hauteur sous plafond : 2,60m


Pour le chargement/déchargement, un accès de plein pied peut s'effectuer par l'entrée principale du O'Sullivans au 92 bd de Clichy 75018 Paris ou par la sortie de secours face au 9 cité Véron 75018 Paris avec un accès direct à la scène par Jardin. Le dégagement scène est de 2mX1m par Jardin.

Possibilité d'installation de régie retour à Jardin (pas de console retour disponible à la salle).

Equipement scénique : 2 praticables de 2mX1m à hauteurs variables (0,2m/0,4m/0,9m).

Tout élément de décors devra être conforme aux normes de sécurité en cours, notamment ignifugés ou classés de type M0 ou M1.

Le niveau sonore maximum à la console est de 102db (A). Loi Française.



FICHE TECHNIQUE SON

Power available on stage: 16A (EU).

No transformers or adapters available.

No in house Cat5 (RJ45) available.

FOH

1x Allen & Heath - D LIVE S5000

SPEAKER SYSTEM

2x C7 Top - D&B

4x C7 Sub - D&B

1x B2 Sub - D&B

4x E12 - D&B (Delay Speakers)

1x E8 - D&B (Delay Speakers)

4x D12 - D&B (Amp)

1x D6 - D&B (Amp)

MONITOR

4x X15 HIQ – LAcoustics

4x LE 400 - Martin

2x LA4X - LAcoustics (Amp)

2x Crown- XLi 1500 (Amp)

MIC

1x Beta 52 - Shure

1x Beta 91A - Shure

1x D6 – Audix

1x i5 - Audix

3x MD421 - Sennheiser

3x E904 - Sennheiser

2x E604 – Sennheiser

4x Beta 58A – Shure

1x Beta 57 – Shure

6x SM58 - Shure

4x Beta SM58 - Shure

8x SM57 – Shure

3x SM81 – Shure

3x MK012 – Oktava

MIC STAND

10x Tall Mic Stands

10x Shot Mic Stands

1x Straight Round Base Mic Stand

DI

2x J48 Actives - Radial Engineering

6x JDI Passives - Radial Engineering

2x DI Stereo Passive - Radial Engineering

STANDS

2x RTX keyboard stand

4x guitar stand

FICHE TECHNIQUE LUMIERES

POWER : 2x PHASES 16A each

COMMAND

1x MA Lighting On PC - Command Wing
1x OXO Mistral 24 (24ch to MA Command Wing DMX IN)
1x MA Lighting On PC 1K Nod
1x Touch Screen 24"

FOG

LeMaitre MVS 250W

DIMMER (Front)

1x Khamsin - Oxo (6ch/16A, MAX 60A)

SPLITTER

2x [B] Box 6 (6 ch) - Oxo

MERGER

2x DM 2512R - Elation Pro

STAGE

MOVING HEAD

4x Pointe - Robe
4x Robin 100 Ledbeam - Robe

PROJECTOR

8x Colorbeam 7fcw ir - Oxo
6x PC500 (Front)

BLINDER

4x Sunstrip

STROBE

1x Atomic 3000 – Martin


FLOOR

MOVING HEAD



6x Robin 100 Ledbeam - Robe

UV

4x Brickled UV - Oxo



PLAN DE FEU - BACKSTAGE



Instrument Count			
Venue:		(All Layers)	
Show:		Designer:	
		Assistant:	
Type	Lens	Count	Status
Atomic 3000		1	HUNG
Mac 250	Standard	2	HUNG
Krypton			
Oxo		8	HUNG
MiniBeam			
RGBW IR			
PAR 56		6	HUNG
Robin 100		10	HUNG
LEDBeam			
Robin Pointe Spot		4	HUNG
Rush M-13		4	HUNG
Sunstrip		6	HUNG
Active Dmx			

BACKLINE RENTAL (Disponible à la location – Nous consulter)

DRUMS

1x kit Tama Superstar Hyperdrive 6 fûts MM62HZBNS-VBM
Bass Drum 22"
Tom high 10"
Tom medium 12"
Tom bass 14"
Tom bass 16"
5x cymbals stands

CAB BASS

1x cabinet Markbass Standard 104HR (No amp)

CAB GUITAR


1x cabinet 4x12 DV Mark Neoclassic (No amp)
1x cabinet 4x12 ENGL E412 VGB (No amp)

DJ

1x DJM 900 Nexus - Pioneers
2x CDJ 2000 - Pioneers

VIDEO


1x Video Projector NEC P501X (Input on STAGE or FOH Location)
1x Long HDMI Cable
3x Screens
1x Screen Projection (front stage ONLY)



Legend

Symbole	Nom	Compte	Mode
	Axcor Spot 300	4	
	Robin 100 LEDBeam	10	2
	Atomic 3000	1	4
	Oxo MiniBeam RGBW	8	4
	Sunstrip Active Dmx Beamless	6	10
	Thunder Wash 600 RGB	8	7
	310 HF	4	

Backstage
by the mill



Legend

Symbole	Nom	Compte	Mode
---------	-----	--------	------


 	Axcor Spot 300	4	
---	----------------	---	--

 	Robin 100 LEDBeam	4	2
---	-------------------	---	---

	Oxo MiniBeam RGBW	8	4
---	-------------------	---	---

	310 HF	4	
--	--------	---	--





Legend

Symbol

Nom

Compte

Mode



Atomic 3000

1

4



Sunstrip Active Dmx
Beamless

6


10



Thunder Wash 600 RGB

4





Legend

Symbole	Nom	Compte	Mode
	Robin 100 LEDBeam	6	2
	Thunder Wash 600 RGB	4	7

Lighting Patch BTM 2025

DMX 1

Name	Manufacturer	Fixture Type	Patch
Spot 1	Clay Packy	Axcor 300	1.1
Spot 2	Clay Packy	Axcor 300	1.31
Spot 3	Clay Packy	Axcor 300	1.61
Spot 4	Clay Packy	Axcor 300	1.91
Wash 1	Robe	Robin led 100 Mode 2	1.301
Wash 2	Robe	Robin led 100 Mode 2	1.365
Wash 3	Robe	Robin led 100 Mode 2	1.401
Wash 4	Robe	Robin led 100 Mode 2	1.436
Led Par 1	Oxo	MiniBeam RGBW 4ch	1.121
Led Par 2	Oxo	MiniBeam RGBW 4ch	1.129
Led Par 3	Oxo	MiniBeam RGBW 4ch	1.137
Led Par 4	Oxo	MiniBeam RGBW 4ch	1.145
Led Par 5	Oxo	MiniBeam RGBW 4ch	1.153
Led Par 6	Oxo	MiniBeam RGBW 4ch	1.161
Led Par 7	Oxo	MiniBeam RGBW 4ch	1.169
Led Par 8	Oxo	MiniBeam RGBW 4ch	1.177
Cameo 1	Cameo	CLTW 600 RGB 7ch Mode 2	1.321
Cameo 2	Cameo	CLTW 600 RGB 7ch Mode 2	1.328
Cameo 3	Cameo	CLTW 600 RGB 7ch Mode 2	1.335
Cameo 4	Cameo	CLTW 600 RGB 7ch Mode 2	1.342
Sun Back 1	Oxo	Funstrip 10ch	1.185
Sun Back 2	Oxo	Funstrip 10ch	1.195
Sun Back 3	Oxo	Funstrip 10ch	1.205
Sun Back 4	Oxo	Funstrip 10ch	1.215
Sun Side 5	Oxo	Funstrip 10ch	1.225
Sun Side 6	Oxo	Funstrip 10ch	1.235
Strobe	Martin	Atomic 300 4ch	1.279
Smoke	LeMaitre	MVS Hazer 4	1.361
House LED	Generic	RGBW 4ch	1.262

DMX 2

Name	Manufacturer	Fixture Type	Patch
Wash Pit 1	Robe	Robin led 100 Mode 2	2.1
Wash Pit 2	Robe	Robin led 100 Mode 2	2.20
Wash Pit 3	Robe	Robin led 100 Mode 2	2.39
Wash Pit 4	Robe	Robin led 100 Mode 2	2.58
Wash Pit 5	Robe	Robin led 100 Mode 2	2.77
Wash Pit 6	Robe	Robin led 100 Mode 2	2.96
Cameo Pit 1	Cameo	CLTW 600 RGB 7ch M	2.301
Cameo Pit 2	Cameo	CLTW 600 RGB 7ch M	2.308
Cameo Pit 3	Cameo	CLTW 600 RGB 7ch M	2.315
Cameo Pit 4	Cameo	CLTW 600 RGB 7ch M	2.322
PC 1	Generic	Dimmer	2.283
PC 2	Generic	Dimmer	2.284
PC 3	Generic	Dimmer	2.285



TECH SPECS
BACKSTAGE BY THE MILL
92 boulevard de Clichy
75018 PARIS

Advancing contact :
Marine Guenet / marine@opuslive.fr

GENERAL

Capacity : 400 standing
Surface : 226m²
Height under rig : 3,15m
Height under ceiling : 3,25m

The BACKSTAGE has one stage, one dancefloor, but also has a few other spaces such as a cloakroom, a smoking room, and a few VIP rooms.

The venue has a 13m² dressing room, with a shower, a wash-hand basin, men's toilet, a couch, a table, a mirror and a fridge.

For load in / load out, an access on ground level is possible through main entrance of the O'Sullivan's Pub at 92 Bvd de Clichy 75018 Paris, or stairs through the back door (9 Cité Véron 75018 Paris) with a direct stage right access. Backstage clearance is 2m*1m at stage right.

Concert public admission can be done 7 cité Véron 75018 Paris. Concert/club/pub/restaurant public admission can also be done through the pub : O'Sullivan's - 92 bd de Clichy 75018 Paris.

STAGE

Stage surface : 33m²
Depth : 4,80m
Width (between posts) : 5,80m
Width (in front of posts) : 6,30m
Stage height : 0,64m
Height under rig : 2,50m
Height under ceiling : 2,60m

Scenic Equipment : 2 risers 2m*1m (variable heights)

Any decoration has to be conform to the french security norms, fireproof or M1 certified.

The maximum sound level at the desk is **102dBa** !!! French law.

SOUND SPECS

Power available on stage: 16A (EU)

NO transformers or adapters available.

NO in house Cat5 (RJ45) available.

FOH

1x Allen & Heath - D LIVE S5000

SPEAKER SYSTEM

2x C7 Top - D&B

4x C7 Sub - D&B

1x B2 Sub - D&B

4x E12 - D&B (Delay Speakers)

1x E8 - D&B (Delay Speakers)

4x D12 - D&B (Amp)

1x D6 - D&B (Amp)

MONITOR

4x X15 HIQ - LAcoustics

2x LE 400 - Martin

2x LA4X - LAcoustics (Amp)

2x CROWN - XLi 1500 (Amp)

MIC

1x Beta 52 - Shure

1x Beta 91A - Shure

1x D6 - Audix

1x i5 - Audix

3x MD421 - Sennheiser

3x E904 - Sennheiser

2x E604 - Sennheiser

4x Beta 58A - Shure

1x Beta 57 - Shure

6x SM58 - Shure

4x Beta SM58 -Shure

8x SM57 - Shure

3x SM81 - Shure

3x MK012 – Oktava

MIC STAND

10x Tall Mic Stands

10x Shot Mic Stands

1x Straight Round Base Mic Stand

DI

2x J48 Actives - Radial Engineering

6x JDI Passives - Radial Engineering

2x DI Stereo Passive - Radial Engineering

STANDS

2x RTX keyboard stand

4x guitar stand

LIGHTS SPECS

POWER : 2x PHASES 16A each

COMMAND

1x MA Lightning On PC - Command Wing
1x OXO Mistral 24 (24ch to MA Command Wing DMX IN)
1x MA Lightning On PC 1K Nod
1x Touch Screen 24"

FOG

LeMaitre MVS 250W

DIMMER (Front)

1x Khamsin - Oxo (6ch/16A, MAX 60A)

SPLITTER

2x [B] Box 6 (6 ch) - Oxo

MERGER

2x DM 2512R - Elation Pro

STAGE

MOVING HEAD

4x Pointe - Robe
4x Robin 100 Ledbeam – Robe

PROJECTOR

8x Colorbeam 7fcw ir – Oxo
6x PC500 (Front)

BLINDER

4x Sunstrip


STROBE

1x Atomic 3000 – Martin

FLOOR



MOVING HEAD

6x Robin 100 Ledbeam – Robe UV
4x Brickled UV - Oxo



PLAN DE FEU - BACKSTAGE

-



Instrument Count			
Venue:		(All Layers)	
Show:		Designer:	
		Assistant:	
Type	Lens	Count	Status
Atomic 3000		1	HUNG
Mac 250	Standard	2	HUNG
Krypton			
Oxo		8	HUNG
MiniBeam			
RGBW IR			
PAR 56		6	HUNG
Robin 100		10	HUNG
LEDBeam			
Robin Pointe Spot		4	HUNG
Rush MHS		4	HUNG
Sunstrip		6	HUNG
Active Dmx			

BACKLINE RENTAL (additional cost)

DRUMS

1x kit Tama Superstar Hyperdrive 6 fûts MM62HZBNS-VBM
Bass Drum 22''
Tom high 10''
Tom medium 12''
Tom bass 14''
Tom bass 16''
5x cymbals stands

CAB BASS

1x cabinet Markbass Standard 104HR (No amp)

CAB GUITAR

1x cabinet 4x12 DV Mark Neoclassic (No amp)
1x cabinet 4x12 ENGL E412 VGB (No amp)

DJ

1x DJM 900 Nexus - Pioneers
2x CDJ 2000 - Pioneers

VIDEO

1x Video Projector NEC P501X (Input on STAGE or FOH Location)
1x Long HDMI Cable
3x Screens
1x Screen Projection (front stage ONLY)